85-8.



Koll's Patent Lock-Joint Wood

COLUMNS



Manufactured by

HARTMANN-SANDERS **COMPANY**

CHICAGO NEW YORK

U. S. A.



Catalog and Price List No. 47 1923

Hartmann-Sanders Co.

Elston and Webster Avenues, Chicago, Illinois

NEW YORK OFFICE: 6 East 39th Street

PACIFIC COAST:
A. J. Koll Planing Mill Co., Los Angeles, Cal.

W. P. P. 6m 10-23

ALL PRICES in this CATALOG (No. 47) are subject to the following discounts-

F. O. B. CHICAGO-Discounts Subject to Change Without Notice

Hartmann-Sanders Company

AUG 1 & 125

Manufacturers of

Koll's Patent Lock-Joint Wood Staved and Turned Columns

"The Column of Quality"



We are originators of


Koll's Patent Lock-Joint Wood Stave Columns

They cannot come apart
We guarantee all our work

The Standard for Built-up Columns because of their durability and architectural correctness

Over 85 % of our business is done with concerns located from five hundred to five thousand miles away, showing how perfect is our organization for handling long range business

Copyright 1923, Hartmann-Sanders Co.



IN 89- 6205

Foreword

WE offer herewith our revised complete price list on Koll's Patent Lock-Joint Staved Wood Columns for exterior and interior work. In compiling this list our aim was to make the same as complete as possible to enable the trade to secure an estimate promptly on all size columns, both large and small. Our hope is that it will be of some real service to the trade and used to our mutual advantage.

Product

In addition to Koll's Patent Lock-Joint Staved Wood Columns for both interior and exterior work in all woods as well as veneered columns, we manufacture Pilasters, Square Columns and Porch Materials to architect's detail; Pergolas, Lattice Work for interior and exterior purposes, and Garden Furniture, Special Mill Work.

The Lock-Joint Stave

We are the originators of "KOLL'S PATENT" Lock-Joint Wood Stave Columns, which cannot come apart.

Our Patent of the Correct Entasis

Correct Entasis Secured in Forming Stave Itself.—All columns manufactured under Koll's Patents are made in our own factory. Every shaft being turned in the lathe, thereby permitting the proper entasis to be secured. The staves are straight one-third and swell-tapered upper two-thirds, so that when shaft is formed the correct entasis is obtained in the rough, securing enough stock at top and bottom of shaft to permit our turning to proper detail and for fluting to form top and bottom turnout or neck-moulding, if any is called for on the shaft itself, without cutting too close to joint. These points of construction will be appreciated by the architect, but are found lacking in other so-called "lock-joint" staved columns.


Quality and Kinds of Lumber

All exterior columns are made out of lumber selected by us with a view of providing the best lumber for column work that money can buy. As our columns are furnished with a guarantee as to their workmanship and durability, we reserve the right to use such lumber, which in our opinion, is best suited for the locality in which the columns will be used. We have a large supply of weather seasoned stock on hand at all times.

Thickness of Stock

As the price of a column is regulated largely by the amount and kind of lumber that enters into its construction, it is very important to state the thickness of stock of which you wish the columns made. Our experience as specialists in column construction has demonstrated

to us that the thickness of stock for the various sizes as called for in the table shown below will provide enough material to carry out the architectural detail properly and afford sufficient strength. Should an unusual load be placed on the columns, they can be reinforced by inserting a timber or iron column.




With Cove on Shaft lik	2-in. Stock	2½-in. Stock	3-in. Stock	4-in. Stock	
Plain Shaft		Up to 16 in. Up to 16 in. Up to 22 in.	17 in. to 22 in. 17 in. to 19 in. 23 in. to 28 in.	23 in. to 30 in. 20 in. to 27 in. 29 in. to 39 in.	31 in. and up 28 in. and up 40 in. and up
Cove Planted on like "B" or made a Base Member like "C"	1½-in. Stock	2-in. Stock	2½-in. Stock	3-in. Stock	4-in. Stock
Plain Shaft. Ionic Fluted.	Up to 12 in. Up to 10 in.	13 in. to 22 in. 12 in. to 22 in.	23 in. to 30 in. 23 in. to 28 in.	31 in. to 40 in. 29 in. to 38 in.	41 in. and up 39 in. and up

Before ordering columns, it would be well to examine your detail closely and note if the cove is to be part of the shaft or if this can be planted on. We can make the column either way, but of course will have to be guided by what your specifications and details call for.

Splice Joint

In addition to the perfect lock-joint we use to unite the staves of the column together, we have devised a dove-tailed joint to splice the butt-ends of the staves if the length of columns



calls for material longer than can be secured in one piece. It is practically impossible to make a tight butt-joint without this splice. These joints are put together with waterproof glue under screw pressure. These added features make our column mechanically perfect.


Waterproof Glue

The staves of all columns, their caps and bases, and all exterior work produced by us is put together with cold water waterproof glue. We waterproof the inside of all columns and pilasters above 14 inches with a special waterproofing compound.



Chicago HARTMANN'SANDERS COMPANY

New York




Making Columns in Halves

We can make columns in two halves and put them together with hardwood dowels, so that they can be placed around an iron or other structural timbers already in position.

Stopping Flutes

We stop all flutes properly, by means of an attachment to our machines, at a comparatively low cost; the expense of doing this part of the work by hand accounts for its absence on many columns being offered to the trade and on others now in use, an omission that is fatal to the proper architectural effect. We are prepared to furnish columns with any style of fluting or reeding desired.

Steel Reinforcement



A Corrugated Steel Band or Ferrule Reinforcement, as illustrated, is applied to the bottom end of all DORIC COLUMNS that have no base. This is a valuable feature in this type of column, owing to the absence of the base, which permits the water to run under the column, unless it is scribed very closely to porch floor. The steel band, while adding considerable strength to the shaft, permits of some flexibility so that not much injury can be done by moisture that may be absorbed. We also add this reinforcement to both ends of large columns.

Cast Iron Ventilated Plinth

When columns rest on cement, brick or stone floors, we recommend the use of Cast Iron Ventilated Plinths. This will keep the moisture, which is more or less in floors of this kind, from the inside of columns. These plinths have a smooth finish and when painted they harmonize with the finish of the column. See page 33 for further information.

Ventilated Wood Plinth

All exterior columns, with the exception of No. 190 and No. 195 and also No. 195%, are provided with ventilated wood plinths, unless otherwise specified. See page 33.

Flashing of Exterior Caps

All Composition or Wood Caps used on Exterior Columns should be flashed with Galvanized Iron, Sheet Lead or Copper. For further information, see page 33.


Details

Unless specified to the contrary when ordering, all columns are made according to the proportions of the styles of architecture as shown by the various cuts in this catalog, but we can, if desired, make them according to the architect's detail.



Chicago HARTMANN'SANDERS COMPANY

New York



Instructions for Ordering Columns and Pilasters

When ordering columns from our catalogue refer always to our Catalogue Numbers—give quantity wanted and size at largest and smallest diameter of shaft, and length over all. State if for INTERIOR or EXTERIOR use. A glance at the cut below will show where measurements are usually taken.

You will be safe in using our catalogue numbers. All our details are carefully planned from the dimensions given by the approved authorities, but we make no extra charge for following your detail, if similar to any of the designs shown in our catalogue.


When ordering pilasters to match columns, give dimensions at top as well as bottom of shaft, or state whether width is to be equal to the largest or smallest diameter of the column, or if they are to have the mean diameter of column shaft or if they are to have the same taper as the column. This, you will note, makes four ways of making square columns and pilasters, and unless we know what is wanted, we cannot enter the order. Give also depth of return. Refer to line drawing of sections of columns and pilasters below when ordering.

We prime all exterior and interior columns (unless made of hardwoods) one coat of lead and oil unless otherwise notified. As interior columns are often stained, this would cause trouble, so that you ought to state in your order if you wish them primed or not. We make no extra charge for priming.


When composition caps are to be used, we furnish without extra cost suitable wood dowels with columns to carry the weight of the overhead work. For instructions in ordering composition capitals, see page 34.

State where and to whom you wish shipment to be sent; also whom you desire to have notified of shipment.

We will promptly furnish estimates on any special column or pilaster work according to architect's drawing and full size details. Our experience with work of this character enables us to correctly interpret the wants of the most discriminating architect.




Section Showing Fluting on 215, 215\%, 195, 195\% shown in Catalogue



Showing where measurements of Columns should be taken



Section Showing Fluting on all other Columns shown in Catalogue




Sections of Columns and Pilasters



HARTMANN'SANDERS COMPANY

New York



Specifications

As a guide to the architect, we offer the following paragraph for properly specifying our columns in his specifications:

"Columns to be the Koll's Patent Lock-Joint Staved Wood Column, manufactured by the Hartmann-Sanders Co., Chicago and New York, to be made according to their design No...................... (here specify the number in catalogue and if design is to be made according to the architect's drawings say: To be made according to details furnished). Staves to be made out of.............. inch stock (here specify the thickness wanted). See schedule on page 3 for thickness of staves necessary for the various sizes of columns. Shafts, Bases and Caps to be glued with waterproof Cold Water Glue; for staves longer than ordinary lumber length, the staves are to be lengthened with a splice joint. The top of all column caps is to be flashed with galvanized iron (sheet lead or copper). The flashing to extend half-inch over the edge of caps. The square plinths of column to be Cast Iron ventilated plinths (or proper ventilation to be provided for the columns if stone, concrete or wood plinths are to be used). Columns to be primed at the factory with a coat of White Lead and Oil on the outside and all columns above 14 inches to receive a coat of waterproof asphaltum paint on the inside of shaft.

"Should the columns arrive at the building before they are ready to install, they must be stored in the building, or properly protected with waterproof coverings in a thorough manner, including both ends, and top of the column shafts. Do not lay columns directly on the ground."




Shelter House—Fox Memorial Park—La Porte, Indiana
Shattuck & Hussey, Architects
Columns are 20 inches in diameter and 12 feet high. Design No. 190



HARTMANN'SANDERS COMPANY

New York





No. 190 Greek Doric Plain Turned Shaft


Price on Metal Plinths, see page 33.


For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.

Column No. 190

Diameter at Bottom of Shaft	Length	2-in. • Stave	1½-in. Stave	Diameter at Bottom of Shaft	Length	2½-in. Stave	3-in. Stave
5 & 6 in.	6 ft. 7 " 8 "	\$ 10.00 10.80 11.70	\$ 8.80 9.60 10.50	23 & 24 in.	10 it. 11 " 12 "	\$ 97.30 103.30 109.30	\$109.60 116.30 122.90
7. & 8 in.	6 ft. 7 " 8 " 9 "	12.90 14.00 15.20 16.50	10.90 12.00 13.70 14.50		14 " 15 " 16 " 17 "	115.30 121.30 127.50 133.70 140.10	129.60 136.30 143.20 150.40 157.90
9 & 10 in.	6 ft. 7 " 8 " 9 "	16.10 17.70 19.50 21.30	12.90 14.70 16.30 18.00	25 & 26 in.	18 " 19 " 20 "	146.70 153.30 160.10	165.60 173.60 181.90
11 & 12 in.	6 ft. 7 " 8 " 9 " 10 "	19.70 21.70 23.90 26.10 28.50	16.00 17.70 19.60 21.60 23.70	25 (C 25 III.	13 " 14 " 15 " 16 " 17 " 18 "	126.90 133.30 139.70 146.10 152.50 158.90	149.20 156.40 163.60 170.80 178.00 185.20
13 & 14 in.	7 ft. 8 " 9 " 10 " 11 "	27.30 30.00 32.80 35.70 38.80		27 & 28 in.	20 " 12 ft. 13 "	165.50 172.10 130.50 137.50	192.70 200.40 160.90 168.50
15 & 16 in.	8 ft. 9 " 10 " 11 " 12 " 13 " 14 " 15 "	36.40 39.90 43.50 47.20 51.10 55.10 59.20 63.50			14 " 15 " 16 " 17 " 18 " 20 " 21 "	144.40 151.30 158.30 165.20 172.10 179.20 186.40 193.70	176.10 183.70 191.30 198.90 206.50 214.40 222.40 230.90
Diameter at Bottom of Shaft	Length	2-in. Stave	2½-in. Stave	29 & 30 in.	14 ft. 15 " 16 "	156.00 163.50 170.90	196.80 205.10 212.80
17 & 18 in·	8 ft. 9 " 10 " 11 " 12 " 13 "	\$ 42.00 46.00 50.00 54.10 58.10 62.40	\$ 62.30 66.80 71.30 75.90 80.40 85.20		17 " 18 " 19 " 20 " 21 " 22 "	178.40 185.90 193.30 200.80 208.40 216.10	220.80 228.80 236.80 244.80 253.10 261.60
	14 " 15 " 16 "	66.80 71.30 76.00	90.30 95.50 102.10	31 & 32 in.	16 ft. 17 " 18 "		234.00 242.50 251.10
19 & 20 in.	8 ft. 9 " 10 " 11 " 12 "	49.70 54.00 58.30 62.50 66.80	68.90 74.10 79.30 84.50 89.70		19 " 20 " 21 " 22 "		259.60 268.10 276.70 285.50
	13 " 14 " 15 " 16 "	71.20 75.70 80.40 85.20	95.10 100.50 106.10 111.90	33 &¶34 in.	17 ft. 18 " 19 " 20 " 21 "		264.40 273.50 282.50 291.60 300.70
21 & 22 in.	10 ft. 11 " 12 "	67.30 72.00 76.70	88.80 94.30 99.70	25. 9. 26.	22 " 23 "		309.70 319.10
	13 " 14 " 15 " 16 " 17 " 18 "	81.30 86.00 90.80 95.70 100.80 106.00	105.20 110.70 116.30 122.00 127.90 133.90	35 & 36 in.	18 ft. 19 " 20 " 21 " 22 " 23 "		298.00 307.20 316.40 325.60 334.80 344.30






Pergola and Bathhouse on Estate of Everett Colby, West Orange, N. J. Lewis Colt Albro, Architect

Pergola Work

Because of the exposure columns are subject to when used for Pergola work, the absolute security of "Koll's Patent Lock-Joint" makes our columns particularly desirable for work of this character.


We are prepared to furnish all material for Pergolas above the foundation, all fitted, ready for erection.


Our experience with this class of work enables us to advise intelligently on this very interesting Garden Feature.



Chicago HARTMANN'SANDERS COMPANY

New York





No. 195 Greek Doric Column Fluted


Price on Metal Plinths, see page 33.


For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.

Column No. 195


Diameter at Bottom	Length	2-in.	1½-in.	Diameter	Laureth	2½-in.	3-in.
of Shaft	Dength	Stave	Stave	at Bottom of Shaft	Length	Stave	Stave
5 & 6 in	6 ft. 7 " 8 "	\$ 13.50 14.30 15.20	\$ 12.30 13.10 14.00	23 & 24 in	10 ft. 11 " 12 "	\$129.90 135.50 141.20	\$141.6 148.0 154.5
7 & 8 in.	6 ft. 7 " 8 " 9 "	17.70 18.80 20.00 21.70	15.70 16.80 18.00 19.30		13 " 14 " 15 " 16 " 17 "	147.10 153.10 159.20 165.50 171.90	161.2 168.0 174.9 182.1 189.6
9 & 10 in.	6 ft. 7 " 8 " 9 "	21.70 23.30 25.15 27.30	18.90 20.50 22.30 24.10	25 % 26 :	18 " 19 " 20 "	178.40 186.70 195.50	197.3 206.9 217.3
11 & 12 in.	10	30.10 26.80 28.80 30.90 33.60 36.80	26.10	25 & 26 in.	12 ft. 13 " 14 " 15 " 16 " 17 " 18 "	160.80 166.40 172.10 178.10 184.00 190.10	179.9 186.7 193.6 200.7 207.9 215.2 222.7
13 & 14 in.	6 ft. 7 " 8 " 9 " 10 " 11 "	34.20 36.90 39.60 42.60 45.70		27 & 28 in	19 " 20 " 12 ft. 13 " 14 "	202.90 211.20 176.50 182.80 189.20	230.10 239.50 204.90 212.30 219.70
15 & 16 in.	8 ft. 9 " 10 " 11 " 12 " 13 " 14 "	49.20 48.30 51.70 55.30 59.90 64.50 70.10 75.50 80.90		20. 9. 20.	15 " 16 " 17 " 18 " 19 " 20 " 21 "	195.70 202.40 209.20 216.10 223.20 230.40 239.30	227.30 234.90 242.70 250.50 258.40 266.50 276.50
Diameter at Bottom of Shaft	Length	2-in. Stave	2½-in. Stave	29 & 30 in	14 ft. 15 " 16 " 17 "	209.20 216.00 222.90	250.10 256.90 264.50
17 & 18 in.	8 ft. 9 " 10 " 11 " 12 " 13 "	\$ 57.30 61.30 65.30 69.30 73.50 77.70	\$ 78.70 82.50 86.50 91.10 95.70 100.50		18 " 19 " 20 " 21 " 22 "	230.30 237.50 244.80 252.30 259.90 269.60	272.30 280.10 288.10 296.30 304.50 315.10
	14 " 15 " 16 "	82.90 88.70 94.50	106.40 112.80 119.30	31 & 32 in	16 ft. 17 " 18 "		292.80 300.90 310.50
19 & 20 in.	8 ft. 9 " 10 " 11 "	69.50 73.70 78.00 82.30	88.70 93.90 99.10 104.30		19 " 20 " 21 " 22 "		318.90 327.50 336.10 344.90
	12 " 13 " 14 " 15 " 16 "	86.50 90.90 95.50 100.90 106.50	109.50 114.80 120.30 126.70 133.20	33 & 34 in	17 ft. 18 " 19 " 20 " 21 "		333.30 342.00 350.80 359.70
21 & 22 in.	10 ft. 11 " 12 " 13 "	94.00 98.40 102.90	116.00 121.10 126.30	25 9 26	22 " 23 "		368.80 378.00 387.30
	15 " 15 " 16 " 17 " 18 "	107.60 112.40 117.20 122.10 128.80 135.60	131.60 137.10 142.70 148.40 155.90 163.50	35 & 36 in.	18 ft. 19 " 20 " 21 " 22 " 23 "		375.30 384.30 393.30 402.50 411.90 421.30








Pergola for Dr. Ernest Fahnestock, Shrewsbury, N. J. Albro and Lindeberg, Architects
Columns are our No. 195%





No. 195% Greek Doric Column Fluted


Price on Metal Plinths, see page 33.


For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.


Column No. 1952/2

	1	C	olumn	No. 195	2/3		
Diameter at Bottom of Shaft	Length	2-in. Stave	1½-in. Stave	Diameter at Bottom of Shaft	Length	2½-in. Stave	3-in. Stave
5 & 6 in.	6 ft. 7 " 8 "	\$ 13.50 14.30 15.20	\$ 12.30 13.10 14.00	23 & 24 in.	11 " 12 "	\$129.90 135.50 141.20	\$141.60 148.00 154.50
7 & 8 in.	6 ft. 7 " 8 " 9 "	17.70 18.80 20.00 21.70	15.70 16.80 18.00 19.30		13 " 14 " 15 " 16 " 17 "	147.10 153.10 159.20 165.50 171.90	161.20 168.00 174.90 182.10 189.60
9 & 10 in.	6 ft. 7 " 8 " 9 " 10 "	21.70 23.30 25.15 27.30 30.10	18.90 20.50 22.30 24.10 26.10	25 & 26 in.	18 " 19 " 20 "	178.40 186.70 195.50	197.30 206.90 217.30
11 & 12 in.	6 ft. 7 " 8 " 9 " 10 "	26.80 28.80 30.90 33.60 36.80	20.10	20 00 20 111.	13 " 14 " 15 " 16 " 17 " 18 "	166.40 172.10 178.10 184.00 190.10 196.40	186.70 193.60 200.70 207.90 215.20 222.70
13 & 14 in.	6 ft. 7 " 8 " 9 " 10 " 11 "	34.20 36.90 39.60 42.60 45.70 49.20		27 & 28 in.	12 ft. 13 " 14 "	202.90 211.20 176.50 182.80 189.20	230.10 239.50 204.90 212.30 219.70
15 & 16 in.	8 ft. 9 " 10 " 11 " 12 " 13 " 14 "	48.30 51.70 55.30 59.90 64.50 70.10 75.50			15 " 16 " 17 " 18 " 19 " 20 " 21 "	195.70 202.40 209.20 216.10 223.20 230.40 239.30	227.30 234.90 242.70 250.50 258.40 266.50 276.50
Diameter at Bottom of Shaft	Length	2-in. Stave	3-in. Stave	29 & 30 in.	14 ft. 15 " 16 " 17 "	209.20 216.00 222.90	250.10 256.90 264.50
17 & 18 in.	8 ft. 9 " 10 " 11 " 12 " 13 "	\$ 57.30 61.30 65.30 69.30 73.50 77.70	\$ 78.70 82.50 86.50 91.10 95.70 100.50		18 " 19 " 20 " 21 " 22 "	230.30 237.50 244.80 252.30 259.90 269.60	272.30 280.10 288.10 296.30 304.50 315.10
19 & 20 in.	14 " 15 " 16 " 8 ft.	82.90 88.70 94.50	106.40 112.80 119.30 88.70	31 & 32 in.	16 ft. 17 " 18 " 19 "		292.80 300.90 310.50 318.90
	9 " 10 " 11 " 12 "	73.70 78.00 82.30 86.50	93.90 99.10 104.30 109.50		21 " 22 "		327.50 336.10 344.90
	13 " 14 " 15 " 16 "	90.90 95.50 100.90 106.50	114.80 120.30 126.70 133.20	33 & 34 in.	17 ft. 18 " 19 " 20 " 21 "		333.30 342.00 350.80 359.70 368.80
21 & 22 in.	10 ft. 11 " 12 " 13 "	94.00 98.40 102.90	116.00 121.10 126.30		22 "23 "		378.00 387.30
	13 " 14 " 15 " 16 " 17 " 18 "	107.60 112.40 117.20 122.10 128.80 135.60	131.60 137.10 142.70 148.40 155.90 163.50		18 ft. 19 " 20 " 21 " 22 " 23 "	4	375.30 384.30 393.30 402.50 411.90 421.30






No. 200 Tuscan Column



No. 210 Roman Doric Column



No. 220
Plain Column
Doric Cap Attic Base


Price on Pilasters to match above Columns. Percentages shown are based on Column prices.

Price for Section not covered by this Schedule given on application.

Bottom Face of Pilaster	Section "F"	Section "H"	Section "K"
5- 6 in. 7- 8 " 9-10 " 11-12 " 13-14 " 15-16 " 17-22 " 23-30 " 31-36 "	10% less 10% " 15% " 15% " 20% " 30% " 40% " 50% "	40% more 30% " 20% " 20% " 10% " Same as Col. 10% less 25% " 40% "	45% more 35% " 25% " 25% " 15% " 5% " Same as Col. 15% less 30% "



Sections of Columns and Pilasters



No. 220-F Pilaster to match Column No. 220


Price on Metal Plinths, see page 33.


For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.


Columns Nos. 200, 210 & 220

Diameter at Bottom of Shaft	Length	2-in. Stave	1½-in. Stave	Diameter at Bottom of Shaft	Length	2½-in. Stave	3-in. Stave
5 & 6 in.	6 ft. 7 " 8 "	\$ 10.40 11.20 12.10	\$ 9.20 10.00 10.90	23 & 24 in.	14 ft. 15 " 16 "	\$128.90 135.10 141.30	\$143.90 150.80 158.00
7 & 8 in.	6 ft. 7 " 8 " 9 "	13.70 14.80 16.00 17.30	11.70 12.80 14.00 15.30		18 " 19 " 20 " 21 "	147.70 154.30 160.90 167.80 174.50	165.50 173.20 181.20 189.50 198.00
9 & 10 in.	6 ft. 7 " 8 " 9 "	17.30 18.90 20.70 22.50	14.40 15.90 17.50 19.20	25 & 26 in.	22 " 23 " 24 " 18 ft.	181.50 188.50 195.70	206.80 215.90 225.20
11 & 12 in.	10 " 6 ft. 7 " 8 " 9 " 10 "	24.50 21.30 23.30 25.50 27.70 30.10	21.10 17.60 19.30 21.10 23.20 25.30		19 " 20 " 21 " 22 " 23 " 24 " 25 "	174.30 180.90 187.70 194.70 201.70 208.90 216.30	201.50 209.20 217.20 225.50 234.00 242.80 251.90
13 & 14 in.	7 ft. 8 " 9 " 10 " 11 " 12 "	29.30 32.00 34.80 37.70 40.80 44.00		27 & 28 in.	26 " 18 ft. 19 " 20 " 21 "	223.70 182.10 189.20 196.40 203.70	261.20 216.50 224.40 232.50 240.90
15 & 16 in.	8 ft. 9 " 10 " 11 " 12 "	39.20 42.70 46.30 50.00			22 " 23 " 24 " 25 " 26 "	211.20 218.80 226.50 234.40 242.40	249.60 258.50 267.70 276.20 286.90
Disease	13 " 14 " 15 "	53.90 57.90 60.70 66.30		29 & 30 in.	20 ft. 21 " 22 " 23 "	212.00 219.60 227.30 235.20	256.00 264.30 272.80 281.60
Diameter at Bottom of Shaft 17 & 18 in	10 ft.	2-in. Stave \$ 54.00	2½-in. Stave \$ 75.20		24 " 25 " 26 " 27 "	243.20 251.30 259.60 268.00	290.70 300.00 309.60 319.50
	12 " 13 " 14 " 15 " 16 " 17 " 18 " 19 "	58.00 62.10 66.40 70.80 75.30 80.00 84.80 89.70 94.80	79.70 84.40 89.20 94.30 99.50 104.80 110.30 115.90 121.60	31 & 32 in.	21 ft. 22 " 23 " 24 " 25 " 26 " 27 " 28 "		289.10 297.90 306.90 316.30 325.90 335.70 345.90 356.30
19 & 20 in.	12 ft. 13 " 14 " 15 " 16 " 17 " 18 " 19 " 20 "	72.00 76.40 80.90 85.60 90.40 95.30 100.40 105.60 110.90	94.90 100.30 105.70 111.30 117.10 122.90 128.90 135.20 141.30	33 & 34 in	22 ft. 23 " 24 " 25 " 26 " 27 " 28 " 29 "		323.30 332.70 342.10 351.60 362.30 373.70 383.30 394.30
21 & 22 in.	14 ft. 15 " 16 " 17 " 18 " 19 " 20 " 21 "	92.40 97.20 102.10 107.20 112.40 117.70 123.20 128.80	117.10 122.70 128.40 134.30 140.30 146.40 152.70 159.10	35 & 36 in.	23 ft. 24 " 25 " 26 " 27 " 28 " 29 " 30 "		359.10 368.90 379.10 389.50 400.00 411.00 422.30 433.70





No. 215 Roman Doric Column Fluted




No. 2152/3 Roman Doric Column Fluted Upper 2/3

Price on Pilasters to match above Columns. Percentages shown are based on Column prices.

Price for Section not covered by this Schedule given on application.

Bottom Face of Pilaster	Section "F"	Section "H"	Section "K"
5- 6 in. 7- 8 " 9-10 " 11-12 " 13-14 " 15-16 " 17-22 " 23-30 " 31-36 "	Same as Col. 10% less 10% " 15% " 20% " 35% "	50% more 40% " 25% " 25% " 15% " 5% " 5% less	55% more 45% " 35% " 30% " 20% " 10% Same as Col. 10% less





No. 215-F

Pilaster
to match

Roman Doric Column
No. 215

Price on Metal Plinths, see page 33.

For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.

Columns Nos. 215-2152/3

Diameter at Bottom of Shaft	Length	2-in. Stave	1½-in. Stave	Diameter at Bottom of Shaft	Length	2½-in. Stave	3-in. Stave
5 & 6 in.	6 ft. 7 " 8 "	\$ 13.90 14.70 15.60	\$ 12.60 13.50 14.40	23 & 24 in.	14 ft. 15 " 16 " 17 "	\$160.80 166.80 173 10 179 50	\$174.60 182.50 189.70 197.20
7 & 8 in.	6 ft. 7 " 8 " 9 "	18.50 19.60 20.80 22.50	16.50 17.60 18.80 20.10		18 " 19 " 20 " 21 "	186.00 195.30 203.00 211.00	204.90 214.50 224.90 234.50
9 & 10 in.	6 ft. 7 " 8 " 9 "	22.90 24.50 26.30 28.50	20.10 21.70 23.50 25.30	25 & 26 in.	22 " 23 " 24 " 18 "	219.20 227.50 235.90 205.20	244.50 254.80 265.00 231.50
11 & 12 in.	10 " 6 ft. 7 " 8 " 9 " 10 "	31.30 28.40 30.40 32.50 35.20 38.40	27.30		19 " 20 " 21 " 22 " 23 " 24 " 25 "	211.70 220.00 228.40 236.90 246.20 254.30 262.10	238.90 248.30 257.90 267.70 277.50 287.50 297.70
13 & 14 in.	7 ft. 8 " 9 " 10 " 11 " 12 "	38.50 41.20 44.00 47.30 50.80 54.40		27 & 28 in.	26 " 18 ft. 19 " 20 " 21 "	270.80 226.10 233.20 240.40 249.30	310.90 260.50 268.40 276.50 286.50
15 & 16 in.	8 ft. 9 " 10 " 11 " 12 "	51.10 54.50 58.10 62.70 67.30			22 " 23 " 24 " 25 " 26 "	258.40 267.60 276.50 285.60 294.80	296.80 307.30 317.70 328.40 339.30
	13 " 14 " 15 "	72.90 77.30 82.70		29 & 30 in.	20 ft. 21 " 22 "	263.50 271.10 280.80	307.50 315.70 326.30
Diameter at Bottom of Shaft	Length	2-in. Stave	2½-in. Stave		23 " 24 " 25 "	290.70 300.70 310.80	337.10 348.10 359.50
17 & 18 in.	10 ft. 11 " 12 " 13 " 14 " 15 " 16 " 17 " 18 " 19 "	\$ 69.30 73.30 77.50 81.70 86.90 92.50 98.50 104.50 110.70 116.90	\$ 90.50 95.10 99.70 104.50 110.40 116.50 123.30 130.00 136.80 143.70	31 & 32 in.	26 " 27 " 21 ft. 22 " 23 " 24 " 25 " 26 " 27 " 28 "	320.70 330.70	370.80 382.10 348.50 357.70 368.40 379.70 391.30 403.20 414.90 426.90
19 & 20 in.	12 ft. 13 " 14 " 15 " 16 " 17 " 18 " 19 " 20 "	91.70 96.10 100.70 106.10 111.70 118.30 124.50 130.90 137.50	114.70 120.00 125.50 131.90 138.40 145.90 153.10 160.40 167.10	33 & 34 in.	22 ft. 23 " 24 " 25 " 26 " 27 " 28 " 29 "		391.60 400.90 412.40 423.90 436.50 448.90 461.20 473.70
21 & 22 in.	14 ft. 15 " 16 " 17 " 18 " 19 " 20 " 21 "	118.80 123.60 128.50 135.30 142.00 148.50 155.20 162.00	143.50 149.10 154.80 162.30 169.90 177.20 184.70 192.10	35 & 36 in.	23 ft. 24 " 25 " 26 " 27 " 28 " 29 " 30 "		436.10 446.00 458.50 471.30 484.40 497.70 511.30 525.20



No. 205 Tuscan Column Fluted



No. 225 Fluted Column Doric Cap Attic Base

Price on Pilasters to match above Columns. Percentages shown are based on Column prices. Price for Section not covered by this Schedule given on application.

Bottom Face of Pilaster	Section "F"	Section	Section
5- 6 in.		"H"	"K"
7-8 "	Same as Col.	50% more	55% more
9-10 "	10% less	40% "	45% "
11-12 " 13-14 "	10% "	25% " 25% "	35% "
15-16 "	15% "	15% "	30%
17-22 "	20% "	5% "	20% " 10% "
23-30 "	20% "	5% less	Same as Col.
31-36 "	40% "	15% " 30% "	10% less 20% "

A DODEFLA H (I (J K) (I) (N) (N) (N)

Sections of Columns and Pilasters

No. 225-F Fluted Pilaster to match Column No. 225

Price on Metal Plinths, see page 33.

For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.


Columns Nos. 205, 225

Diameter at Bottom of Shaft	Length	2-in. Stave	1½-in. Stave	Diameter at Bottom of Shaft	Length	2-in. Stave	3-in. Stave
5 & 6 in.	6 ft. 7 " 8 "	\$ 13.10 13.90 14.80	\$ 11.90 12.70 13.60	23 & 24 in.	14 ft. 15 " 16 "	\$152.70 158.80 165.10	\$167.60 174.50 181.70
7 & 8 in.	6 ft. 7 " 8 " 9 "	17.20 18.30 19.50 21.20	15.20 16.30 17.50 19.20		18 " 19 " 20 " 21 "	171.50 178.00 185.90 193.90 202.00	189.20 196.90 206.10 215.60 225.30
9 & 10 in.	6 ft. 7 " 8 " 9 "	21.30 22.90 24.70 26.90	18.40 19.70 21.50 23.60	25 & 26 in.	22 " 23 " 24 " 18 ft.	210.00 218.30 226.70	235.30 245.60 256.10
11 & 12 in.	10 " 6 ft. 7 " 8 " 9 " 10 "	29.30 26.10 28.10 30.30 32.60 35.00	25.90		19 " 20 " 21 " 22 " 23 " 24 " 25 "	202.90 210.70 218.70 226.80 235.10 243.50 252.00	230.10 239.10 248.30 257.70 267.50 277.50 287.70
13 & 14 in.	7 ft. 8 " 9 " 10 " 11 " 12 "	36.00 38.70 41.50 44.80 48.30 51.90		27 & 28 in.	26 " 18 ft. 19 " 20 " 21 "	260.70 216.00 223.10 230.30 238.80	298.30 250.40 258.30 266.40 276.00
15 & 16 in.	8 ft. 9 " 10 " 11 " 12 "	48.00 51.50 55.10 59.60 64.30			22 " 23 " 24 " 25 " 26 "	247.50 256.30 265.20 274.30 283.50	285.90 296.00 306.40 317.10 328.00
Diameter	13 " 14 " 15 "	69.10 74.00 78.90		29 & 30 in.	20 ft. 21 " 22 " 23 "		295.60 303.90 314.00 324.40
at Bottom of Shaft 17 & 18 in.	10 ft. 11 "	\$ 65.90 69.80	\$ 87.10 91.60		24 " 25 " 26 " 27 "		335.10 346.00 357.20 368.50
	12 " 13 " 14 " 15 " 16 " 17 " 18 " 19 "	74.00 78.30 83.50 88.80 94.30 99.90 105.60 111.50	96.30 101.10 106.90 112.90 118.90 125.30 131.70 138.30	31 & 32 in.	21 ft. 22 " 23 " 24 " 25 " 26 " 27 " 28 "		334.80 343.60 354.30 365.20 376.40 387.90 399.60 411.60
19 & 20 in.	12 ft 13 " 14 " 15 " 16 " 17 " 18 " 19 " 20 "	87.50 91.90 96.40 101.90 107.50 113.20 119.10 125.10 131.20	110.40 115.70 121.20 127.60 134.10 140.80 147.60 154.90 161.60	33 & 34 in.	22 ft. 23 " 24 " 25 " 26 " 27 " 28 " 29 "		375.70 385.10 396.30 407.20 419.50 431.50 444.70 456.30
21 & 22 in.	14 ft. 15 " 16 " 17 " 18 " 19 " 20 " 21 "	112.70 116.50 121.50 127.70 134.10 140.70 147.30 154.10	136.40 142.00 147.70 154.80 162.00 169.30 176.80 184.40	35 & 36 in.	23 ft. 24 " 25 " 26 " 27 " 28 " 29 " 30 "		418.40 428.30 440.40 452.80 465.50 478.40 491.60 508.40




Hartmann'Sanders Company

New York





No. 230
Plain Column
Roman Ionic Cap
Attic Base



No. 240
Plain Column
Angular Ionic Cap
Attic Base




No. 260
Plain Column
Greek Ionic Cap
Attic Base


Price on Pilasters to match above Columns. Percentages shown are based on Column prices.

Price for Section not covered by this Schedule given on application.

Bottom Face of Pilaster	Section "F"	Section "H"	Section "K"
5- 6 in. 7- 8 " 9-10 " 11-12 " 13-14 " 15-16 "	10% less 10% " 15% " 15% " 20% "	40% more 30% " 20% " 20% " 10% " Same as Col.	45% more 35% " 25% " 25% " 15% "
17-22 " 23-30 " 31-36 "	30% " 40% " 50% "	10% less 25% "	Same as Col. 15% less







No. 270 Plain Column Angular Greek Ionic Cap Attic Base


Price on Metal Plinths, see page 33.

For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.


Columns Nos. 230, 240, 260, 270

	do	iumms	1103.	250, 210,	200,	210	
Diameter at Bottom of Shaft	Length	2-in. Stave	1½-in. Stave	Diameter at Bottom of Shaft	Length	2½-in. Stave	3-in. Stave
5 & 6 in.	6 ft. 7 " 8 "	\$ 12.70 13.50 14.40	\$ 11.50 12.30 13.30	23 & 24 in.	14 ft. 15 " 16 " 17 "	\$152.70 158.80 165.10 171.50	\$167.60 174.50 181.70 189.20
7 & 8 in.	6 ft. 7 " 8 " 9 "	16.40 17.50 18.70 20.00	14.40 15.50 16.70 18.00		18 " 19 " 20 " 21 "	178.00 184.70 191.50 198.30	196.90 204.90 213.20 221.70
9 & 10 in.	6 ft. 7 " 8 " 9 "	20.90 22.50 24.30 26.10	18.00 19.50 21.10 22.80	25 & 26 in.	22 " 23 " 24 " 18 ft.	205.20 212.30 219.70	230.50 239.60 248.90 222.30
11 & 12 in.	10 " 6 ft. 7 " 8 " 9 " 10 "	28.10 26.00 28.00 30.10 32.40 34.80	24.70 22.30 24.00 25.90 27.90 30.00	25 & 20 11.	19 " 20 " 21 " 22 " 23 " 24 " 25 "	202.50 209.20 -216.00 222.90 230.00 237.20 244.50	229.70 237.40 245.50 253.70 262.30 271.10 280.10
3 & 14 in.	7 ft. 8 " 9 " 10 " 11 " 12 "	35.30 38.00 40.80 43.70 46.80		27 & 28 in.	26 " 18 ft. 19 " 20 " 21 "	253.00 214.90 222.00 229.20 236.50	289.50 249.30 257.20 265.30 273.70
15 & 16 in.	8 ft. 9 " 10 " 11 " 12 "	50.00 47.20 50.70 54.60 58.00 61.90			22 " 23 " 24 " 25 " 26 "	244.00 251.60 259.30 267.20 275.20	282.40 291.30 300.50 310.00 319.70
Diameter	13 " 14 " 15 "	65.90 70.00 74.30		29 & 30 in.	20 ft. 21 " 22 " 23 "	250.00 257.60 265.30 273.20	194.00 302.30 310.80 319.60
Diameter at Bottom of Shaft 17 & 18 in.	Length 10 ft.	2-in. Stave \$ 64.90	2½-in. Stave \$ 86.10		24 " 25 " 26 " 27 "	281.20 289.30 297.60 306.00	328.60 338.00 347.60 357.50
	11 " 12 " 13 " 14 " 15 " 16 " 17 " 18 " 19 "	68.90 73.00 77.30 82.70 86.30 90.90 95.70 100.70 105.70	90.70 95.30 100.30 105.20 110.40 115.70 121.20 126.80 132.40	31 & 32 in.	21 ft. 22 " 23 " 24 " 25 " 26 " 27 " 28 "		334.40 343.20 352.30 361.60 371.20 381.10 391.20 401.60
19 & 20 in.	12 ft. 13 " 14 " 15 " 16 " 17 " 18 " 20 "	86.70 91.10 95.60 100.30 105.10 110.00 115.10 120.30 125.60	109.60 114.90 120.40 126.00 131.70 137.60 143.60 149.70 156.00	33 & 34 in.	22 ft. 23 " 24 " 25 " 26 " 27 " 28 " 29 "		376.60 386.00 395.50 404.90 415.60 426.00 436.70 447.60
21 & 22 in.	14 ft. 15 " 16 " 17 " 18 " 19 " 20 " 21 "	111.70 116.50 121.50 126.50 131.70 137.10 142.60 148.10	136.40 142.00 147.70 153.50 159.60 165.70 172.00 178.40	35 & 36 in.	23 ft. 24 " 25 " 26 " 27 " 28 " 29 " 30 "		421.70 431.60 441.70 452.10 462.80 473.70 484.90 496.40










No. 245 Fluted Column Scamozzi Cap Attic Base



No. 265 Fluted Column Greek Ionic Attic Base

Price on Pilasters to match above Columns. Percentages shown are based on Column prices.

Price for Section not covered by this Schedule given on application.


Bottom Face of Pilaster	Section "F"	Section	Section
5- 6 in. 7- 8 " 9-10 " 11-12 " 13-14 " 15-16 " 17-22 " 23-30 " 31-36 "	Same as Col. 10% less 10% a 15% a 20% a 20% a 35% a 40% a	50% more 40% " 25% " 15% " 55% less 15% "	55% more 45% " 35% " 30% " 20% " 10% " Same as Col. 10% less 20% "






Chicago HARTMANN'SANDERS COMPANY

New York





No. 275
Fluted Columns
Angular Greek Ionic Cap
Attic Base


Price on Metal Plinths, see page 33.


For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.


Columns Nos. 235, 245, 265 and 275

Diameter at Bottom of Shaft	Length	2-in. Stave	1½-in. Stave	Diameter at Bottom of Shaft	Length	2½-in. Stave	3-in. Stave
5 & 6 in.	6 ft. 7 " 8 "	\$ 15.30 16.00 17.10	\$ 14.10 15.10 15.90	23 & 24 in.	14 ft. 15 " 16 "	\$176.40 182.50 188.80	\$191.30 198.30 205.50
7 & 8 in.	6 ft. 7 " 8 " 9 "	19.90 20.90 22.10 23.90	17.90 18.90 20.10 21.90		18 " 19 " 20 " 21 "	195.20 201.70 209.60 217.60 225.60	212.90 220.70 229.90 239.30 249.10
9 & 10 in.	6 ft. 7 " 8 " 9 "	24.90 26.50 28.30 30.50	22.00 23.50 25.10 28.50	25 & 26 in.	22 " 23 " 24 " 18 ft.	233.70 242.00 250.40 224.70	259.10 269.30 279.90 250.90
11 & 12 in.	10 " 6 ft. 7 " 8 " 9 " 10 "	32.90 30.80 32.80 34.90 37.10 40.00	29.50		19 " 20 " 21 " 22 " 23 " 24 " 25 "	231.20 238.60 246.90 255.10 263.30 271.70 280.30	258.40 267.30 276.50 286.00 295.70 305.70 316.00
13 & 14 in.	7 ft. 8 " 9 " 10 " 11 " 12 "	42.00 44.70 47.50 50.80 54.30 57.90		27 & 28 in.	26 " 18 ft. 19 " 20 " 21 " 22 "	288.90 248.80 252.90 263.10 271.30 280.30	326.50 283.20 291.10 299.20 308.80 318.70
15 & 16 in.	8 ft. 9 " 10 " 11 "	56.00 59.50 63.10 67.60			23 " 24 " 25 " 26 "	289.10 298.00 307.20 316.40	328.80 339.30 349.90 360.80
	12 " 13 " 14 " 15 "	72.30 77.10 82.00 87.10		29 & 30 in.	20 ft. 21 " 22 " 23 "		333.30 341.90 352.00 362.40
Diameter at Bottom of Shaft	Length	2-in. Stave	2½-in. Stave		24 " 25 " 26 "		373.10 384.00 395.20
17 & 18 in.	10 ft. 11 " 12 " 13 " 14 " 15 " 16 " 17 " 18 "	\$ 76.80 80.80 84.90 89.20 94.40 99.70 105.20 110.80 116.50 121.40	\$ 98.00 102.50 107.20 112.00 117.90 123.90 129.90 136.30 142.70 148.20	31 & 32 in.	27 " 21 ft. 22 " 23 " 24 " 25 " 26 " 27 " 28 "		380.10 388.90 399.60 410.50 421.70 433.20 444.90 456.90
19 & 20 in	12 ft. 13 " 14 " 15 " 16 " 17 " 18 " 19 " 20 "	102.10 106.50 111.10 113.20 122.10 127.90 133.70 139.70	125.10 130.40 135.90 142.30 148.80 155.40 162.30 169.20	33 & 34 in.	22 ft. 23 " 24 " 25 " 26 " 27 " 28 " 29 "		428.10 438.40 449.80 460.70 472.80 484.80 497.20 509.60
21 & 22 in	14 ft. 15 " 16 " 17 " 18 " 19 " 20 "	145.90 131.10 135.90 140.80 147.10 153.50 160.00 166.70	176.30 155.70 161.30 167.10 173.80 181.30 188.70 196.10	35 & 36 in.	23 ft. 24 " 25 " 26 " 27 " 28 " 29 " 30 "		481.10 490.90 503.10 515.50 528.10 540.80 554.30 567.80






No. 250 Plain Column Corinthian Cap Attic Base



No. 280
Plain Column
Angular Greek Ionic Cap
With Necking Attic Base





No. 290
Plain Column
Erechtheum Cap
Attic Base

Price on Pilasters to match above Columns. Percentages shown are based on Column prices.

Price for Section not covered by this Schedule given on application.

Bottom Face of Pilaster	Section "F"	Section "H"	Section "K"
5- 6 in. 7- 8 " 9-10 " 11-12 " 13-14 " 15-16 " 17-22 " 23-30 "	10% less 10% " 15% " 15% " 20% " 25% " 30% "	40% more 30% " 20% " 20% " 10% " Same as Col. 10% less	45% more 35% " 25% " 25% " 15% " Same as Col.
31-36 "	50% "	25% "	15% less





No. 300 Plain Column Renaissance Cap Attic Base


Price on Metal Plinths, see page 33.

For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.


Columns Nos. 250, 280, 290, 300

Diameter				Diameter	-/0,	21/	2:-
at Bottom of Shaft	Length	2-in. Stave	1½-in. Stave	at Bottom of Shaft	Length	2½-in. Stave	3-in. Stave
5 & 6 in.	6 ft.	\$ 14.50	\$ 13.30	23 & 24 in.	16 ft.	\$176.10	\$192.80
	7 "	15.30	14.10		17 "	182.50	200.30
	8 "	16.30	15.10		18 "	189.10	208.00
7 0. 0:	66.	10.50	16.50		19 "	195.70	216.00
7 & 8 in.	6 ft.	18.50	16.50		20 "	202.50	224.30
	7 " 8 "	19.60 20.90	17.60		21 "	209.00	232.80
	9 "	22.10	20.20		22	216.30	241.60
		22.10	20.20		23 "	223.40 230.50	250.70 260.00
9 & 10 in.	6 ft.	23.50	20.50		25 "	237.00	269.30
	7 "	25.10	22.00		26 "	244.30	279.50
	8 "	26.80	23.60				
	10 "	28.70 30.80	25.30 27.20	25 & 26 in.	18 ft.	209.70	236.00
	10	30.80	21.20		19 "	215.30	243.50
11 & 12 in.	6 ft.	29.30	25.50		20 "	222.90	251.20
	7 "	31.40	27.30		21 "	229.70	259.20
	8 "	33.50	29.20		23 "	236.70 243.50	267.50 276.00
	,	35.70	31.20		24 "	250.90	284.80
	10 "	38.10	33.30		25 "	258.30	293.90
3 & 14 in.	7 ft.	39.50			26 "	265.70	303.20
	8 "	42.30					
	9 "	45.10		27 & 28 in.	19 ft.	239.60	274.80
	10 "	48.00			20 "	246.80	282.90
	11	51.10			21 "	254.10	291.30
5 & 16 in.	12 " 9 ft.	54.30 56.00			23 "	261.60 268.00	300.00 308.90
13 & 10 III.	10 "	59.70			24 "	276.90	318.10
	11 "	63.50			25 "	264.80	327.60
	12 "	67.30			26 "	292.80	337.30
	13 "	71.30			27 "	300.90	347.30
	14 "	75.50			28 "	309.20	357.60
	15 "	79.70		29 & 30 in.	21 ft. 22 "	278.80	323.50
Diameter at Bottom of Shaft	Length	2-in. Stave	2½-in. Stave		23 " 24 "	286.50 294.40 302.40	332.00 340.80 349.90
of Shart					25 "	310.50	359.30
17 & 18 in.	12 ft.	\$ 79.70	\$102.00		26 "	318.80	368.80
	13 "	84.00 88.40	106.80 111.90		27 "	327.20	378.70
	15 "	92.90	117.10		28 "	335.70	388.80
	16 "	97.60	122.40	21 8 22 :-	22.64		266 20
	17 "	102.40	127.90	31 & 32 in	22 ft. 23 "		366.30 375.30
	18 "	107.30	133.40		24 "		384.70
	19 "	112.40	139.20		25 "		394.30
	20 "	115.50	145.10		26 "		404.10
9 & 20 in.	13 ft.	98.90	122.80		27 "		414.30
, cc 20 m.	14 "	103.50	128.30		28 "		424.70
	15 "	108.10	133.90	22 8- 24 :	22 64		111 60
	16 "	111.60	139.60	33 & 34 in.	23 ft. 24 "		411.60 421.10
	17 "	115.90	145.40		25 "		430.50
	18 "	122.90	151.50		26 "		441.20
	17	128.10	157.60		27 "		451.60
	20 "	133.40 138.90	163.90 170.30		28 "		462.30
					29 "		473.20
11 & 22 in.	15 ft.	124.90	150.40		30 "		484.40
	16 "	129.90	156.10	25 9 26:	22 64		110.20
	17 " 18 "	134.90 140.10	162.00 168.00	35 & 36 in.	23 ft. 24 "		449.20
	19 "	145.40	174.50		25 "		458.90 469.20
	20 "	150.60	180.40		26 "		479.60
	21 "	154.50	186.80		27 "		490.30
	22 "	162.30	193.30		28 "		501.20
	23 "	168.10	200.00		29 "		512.40
	24 "	174.10	206.80		30 "		523.90





No. 255 Fluted Column Corinthian Cap Attic Base



No. 285
Fluted Column
Angular Greek Ionic Cap
with Necking Attic Base





No. 295
Fluted Column
Erechtheum Cap
Attic Base


Price on Pilasters to match above Columns. Percentages shown are based on Column prices.

Price for Section not covered by this Schedule given on application.

Bottom Face of Pilaster	Section "F"	Section "H"	Section "K"
5- 6 in. 7- 8 " 9-10 " 11-12 " 13-14 " 15-16 " 17-22 " 23-30 " 31-36 "	Same as Col. 10% less 10% " 15% " 20% " 20% " 40% "	50% more 40% " 25% " 25% " 15% " 5% less 15% "	55% more 45% " 35% " 30% " 20% " 10% " Same as Col. 10% less 20% "







No. 305 Fluted Column Renaissance Cap Attic Base


Price on Metal Plinths, see page 33.


For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.


Prices on Interior Columns in Hardwoods quoted on application.

Columns Nos. 255, 285, 295 and 305

	COI	umms	NOS. 2	55, 265,	295 ai	10 303	
Diameter at Bottom of Shaft	Length	2-in. Stave	½-in. Stave	Diameter at Bottom of Shaft	Length	2½-in. Stave	3-in. Stave
5 & 6 in.	6 ft. 7 " 8 "	\$ 17.20 18.00 18.90	\$ 16.00 16.80 17.70	23 & 24 in.	16 ft. 17 " 18 "	\$199.90 206.30 212.80	\$216.50 224.00 231.70
7 & 8 in.	6 ft. 7 " 8 " 9 "	22.00 23.10 24.30 26.00	20.00 21.10 22.30 24.00		20 " 21 " 22 " 23 "	220.70 228.70 236.70 244.80 253.10	240.90 250.40 260.10 270.10 280.40
9 & 10 in.	6 ft. 7 " 8 " 9 "	27.50 29.10 30.80 33.10	24.50 26.00 27.60 29.70	25 & 26 in.	24 " 25 " 26 " 18 ft.	261.50 269.90 278.10 238.40	290.90 301.70 312.80 26.470
11 & 12 in.	6 ft. 7 " 8 " 9 " 10 "	35.50 34.10 36.10 38.30 40.40 43.30	32.00		19 " 20 " 21 " 22 " 23 " 24 " 25 "	244.90 252.70 260.70 268.80 277.10 285.50 294.00	272.10 281.10 290.90 299.70 309.50 319.50 329.70
13 & 14 in.	7 ft. 8 " 9 " 10 " 11 " 12 "	46.10 48.90 51.70 55.10 58.50 62.10		27 & 28 in	26 " 19 ft. 20 " 21 " 22 " 23 "	302.70 273.50 280.70 289.20 297.87	340.30 308.70 316.80 326.40 336.30
15 & 16 in	9 ft. 10 " 11 " 12 " 13 " 14 "	64.00 68.50 73.10 77.70 82.50 87.50			25 " 25 " 26 " 27 " 28 "	306.70 315.60 324.70 333.90 343.20 352.70	346.40 356.40 367.50 378.40 389.60 401.10
Diameter	15 "	92.50 2-in.	2½-in.	29 & 30 in.	21 ft. 22 " 23 "		363.10 373.20 383.60
at Bottom of Shaft 7 & 18 in.	12 ft. 13 " 14 " 15 "	\$ 91.60 95.90 101.10 106.40	\$113.90 118.70 124.50 130.50		24 " 25 " 26 " 27 " 28 "		394.30 405.20 416.40 427.70 439.30
	16 " 17 " 18 " 19 " 20 "	111.90 117.50 123.20 129.10 135.10	136.50 142.90 149.30 155.90 162.50	31 & 32 in.	22 ft. 23 " 24 " 25 " 26 "		412.00 422.70 433.60 444.80 456.30
19 & 20 in.	13 ft. 14 " 15 " 16 " 17 " 18 " 19 " 20 " 21 "	114.40 118.90 124.40 130.00 135.70 141.60 147.60 153.70 160.00	138.30 143.70 150.50 156.70 163.30 170.10 177.10 184.10 191.30	33 & 34 in.	27 " 28 " 23 ft. 24 " 25 " 26 " 27 " 28 " 29 "		468.00 480.00 464.00 475.20 486.10 498.40 510.40 522.70 535.20
21 & 22 in.	15 ft. 16 " 17 " 18 " 19 " 20 " 21 " 22 " 23 " 24 "	144.30 149.20 155.50 161.90 168.40 175.10 181.90 188.70 195.90 203.10	169.70 175.50 182.50 189.70 197.10 204.50 212.10 219.90 227.70 235.70	35 & 36 in.	30 " 23 ft. 24 " 25 " 26 " 27 " 28 " 29 " 30 "		548.00 508.50 518.40 530.50 542.90 555.60 568.50 581.70 595.20










No. 320 Plain Column Composite Cap Attic Base




No. 330
Plain Column
Temple of Winds Cap
Attic Base

Price on Pilasters to match above Columns. Percentages shown are based on Column prices.


Price for Section not covered by this Schedule given on application.

Bottom Face of Pilaster	Section "F"	Section "H"	Section
5- 6 in. 7- 8 " 9-10 " 11-12 " 13-14 " 15-16 " 17-22 " 23-30 " 31-36 "	10% less 10% " 15% " 15% " 20% " 30% " 40% " 50% "	40% more 30% " 20% " 20% " 10% " Same as Col. 10% less 25% "	45% more 35% " 25% " 25% " 15% " 5% " Same as Col. 15% less 30% "



Sections of Columns and Pilasters





No. 340 Plain Column Scamozzi Cap with Necking, Attic Base


Price on Metal Plinths, see page 33.

For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.


Columns Nos. 310, 320, 330 and 340

Diameter at Bottom	Length	2-in.	1½-in.	Diameter at Bottom	Length	2½-in.	3-in.
of Shaft	Length	Stave	Śtave	of Shaft	Length	Śtave	Stave
5 & 6 in.	6 ft. 7 " 8 "	\$ 14.50 15.30 16.30	\$ 13.30 14.10 15.10	23 & 24 in.	16 ft. 17 " 18 " 19 "	\$176.10 182.50 189.10	\$192.80 200.30 208.00
7 & 8 in.	6 ft. 7 " 8 " 9 "	18.50 19.60 20.90 22.10	16.50 17.60 18.80 20.20		20 " 21 " 22 " 23 "	195.70 202.50 209.00 216.30 223.40	216.00 224.30 232.80 241.60 250.70
9 & 10 in.	6 ft. 7 " 8 " 9 " 10 "	23.50 25.10 26.80 28.70	20.50 22.00 23.60 25.30	25 & 26 in.	24 " 25 " 26 " 18 ft.	230.50 237.00 244.30 209.70	260.00 269.30 279.50 236.00
11 & 12 in.	6 ft. 7 " 8 " 9 " 10 "	30.80 29.30 31.40 33.50 35.70 38.10	27.20 25.50 27.30 29.20 31.20 33.30		19 " 20 " 21 " 22 " 23 " 24 " 25 "	215.30 222.90 229.70 236.70 243.50 250.90 258.30	243.50 251.20 259.20 267.50 276.00 284.80 293.90
13 & 14 in.	7 ft. 8 " 9 " 10 " 11 " 12 "	39.50 42.30 45.10 48.00 51.10 54.30		27 & 28 in.	26 " 19 ft. 20 " 21 " 22 "	265.70 239.60 246.80 254.10 261.60	303.20 274.80 282.90 291.30 300.00
15 & 16 in.	9 ft. 10 " 11 " 12 " 13 " 14 "	56.00 59.70 63.50 67.30 71.30 75.50			23 " 24 " 25 " 26 " 27 " 28 "	268.00 276.90 284.80 292.80 300.90 309.20	308.90 318.10 327.60 337.30 347.30 357.60
Diameter at Bottom	15 " Length	79.70 2-in. Stave	2½-in. Stave	29 & 30 in.	21 ft. 22 " 23 " 24 "	278.80 286.50 294.40 302.40	323.50 332.00 340.80 349.90
of Shaft 17 & 18 in.	12 ft. 13 " 14 " 15 "	\$ 79.70 84.00 88.40 92.90	\$102.00 106.80 111.90 117.10		25 " 26 " 27 " 28 "	310.50 318.80 327.20 335.70	359.30 368.80 378.70 388.80
	16 " 17 " 18 " 19 " 20 "	97.60 102.40 107.30 112.40 115.50	122.40 127.90 133.40 139.20 145.10	31 & 32 in.	22 ft. 23 " 24 " 25 " 26 "		366.30 375.30 384.70 394.30 404.10
19 & 20 in.	13 ft. 14 " 15 " 16 " 17 "	98.90 103.50 108.10 111.60 115.90	122.80 128.30 133.90 139.60 145.40	33 & 34 in.	28 " 23 ft. 24 "		414.30 424.70 411.60 421.10
	18 " 19 " 20 " 21 "	122.90 128.10 133.40 138.90	151.50 157.60 163.90 170.30		25 " 26 " 27 " 28 " 29 "		430.50 441.20 451.60 462.30 473.20
21 & 22 in.	16 " 17 " 18 " 19 " 20 "	124.90 129.90 134.90 140.10 145.40 150.60	150.40 156.10 162.00 168.00 174.50 180.40	35 & 36 in.	30 " 23 ft. 24 " 25 " 26 "		484.40 449.20 458.90 469.20 479.60
	21 " 22 " 23 " 24 "	154.50 162.30 168.10 174.10	186.80 193.30 200.00 206.80		27 " 28 " 29 " 30 "		490.30 501.20 512.40 523.90





No. 315 Fluted Column Scamozzi Cap with Pendant, Attic Base



No. 325
Fluted Column
Composite Cap
Attic Base



No. 335
Fluted Column
Tower of Winds Cap
Attic Base


Price on Pilasters to match above Columns. Percentages shown are based on Column prices.


Price for Section not covered by this Schedule given on application.

Bottom Face of Pilaster	Section "F"	Section "H"	Section
5- 6 in. 7- 8 " 9-10 " 11-12 " 13-14 " 15-16 " 17-22 " 23-30 " 31-36 "	Same as Col. 10% less 10% " 15% " 20% " 20% " 40% "	50% more 40% " 25% " 25% " 15% " 5% less 15% "	55% more 45% " 35% " 30% " 20% " 10% " Same as Col. 10% less

A B C D E F G H LI LJ K L M (N) FO

Sections of Columns and Pilasters





No. 345 Fluted Column Scamozzi Cap with

Necking Attic Base

Price on Metal Plinths, see page 33.

For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.


Columns Nos. 315, 325, 335 and 345


Diameter at Bottom of Shaft	Length	2-in. Stave	1½-in. Stave	Diameter at Bottom of Shaft	Length	2½-in. Stave	3-in. Stave
5 & 6 in.	6 ft. 7 " 8 "	\$ 17.20 18.00 18.90	\$ 16.00 16.80 17.70	23 & 24 in.	16 ft. 17 " 18 "	\$199.90 206.30 212.80	\$216.50 224.00 231.70
7 & 8 in.	6 ft. 7 " 8 " 9 "	22.00 23.10 24.30 26.00	20.00 21.10 22.30 24.00		19 " 20 " 21 " 22 " 23 "	220.70 228.70 236.70 244.80 253.10	240.90 250.40 260.10 270.10 280.40
9 & 10 in.	6 ft. 7 " 8 " 9 "	27.50 29.10 30.80 33.10	24.50 26.00 27.60 29.70	25 & 26 in.	24 " 25 " 26 " 18 ft.	261.50 269.90 278.10 238.40	290.9 301.7 312.8 264.7
11 & 12 in.	10 " 6 ft. 7 " 8 " 9 " 10 "	35.50 34.10 36.10 38.30 40.40 43.30	32.00		19 " 20 " 21 " 22 " 23 " 24 " 25 "	244.90 252.70 260.70 268.80 277.10 285.50 294.00	272.10 281.10 290.90 299.70 309.50 319.50 329.70
13 & 14 in.	7 ft. 8 " 9 " 10 " 11 " 12 "	46.10 48.90 51.70 55.10 58.50 62.10		27 & 28 in.	26 " 19 ft. 20 " 21 " 22 "	302.70 273.50 280.70 289.20 297.87	340.30 308.70 316.80 326.40 336.30
15 & 16 in.	9 ft. 10 " 11 " 12 " 13 " 14 "	64.00 68.50 73.10 77.70 82.50 87.50			23 " 24 " 25 " 26 " 27 " 28 "	306.70 315.60 324.70 333.90 343.20 352.70	346.40 356.40 367.50 378.40 389.60 401.10
Diameter at Bottom of Shaft	15 " Length	92.50 2-in. Stave	2½-in. Stave	29 & 30 in.	21 ft. 22 " 23 " 24 "		363.10 373.20 383.60 394.30
17 & 18 in.	12 ft. 13 " 14 " 15 "	\$ 91.60 95.90 101.10 106.40	\$113.90 118.70 124.50 130.50		25 " 26 " 27 " 28 "		405.20 416.40 427.70 439.30
	16 " 17 " 18 " 19 " 20 "	111.90 117.50 123.20 129.10 135.10	136.50 142.50 149.30 155.90 162.50	31 & 32 in.	22 ft. 23 " 24 " 25 " 26 "		412.00 422.70 433.60 444.80 456.30
19 & 20 in.	13 ft. 14 " 15 " 16 " 17 " 18 " 20 " 21 "	114.40 118.90 124.40 130.00 135.70 141.60 147.60 153.70 160.00	138.30 143.70 150.10 156.70 163.30 170.10 177.10 184.10 191.30	33 & 34 in.	27 " 28 " 23 ft. 24 " 25 " 26 " 27 " 28 " 29 "		468.00 480.00 464.00 475.20 486.10 498.40 510.40 522.70 535.20
21 & 22 in.	15 ft. 16 " 17 " 18 " 19 " 20 " 21 " 22 " 23 " 24 "	144.30 149.20 155.50 161.90 168.40 175.10 181.90 188.70 195.90 203.10	169.70 175.50 182.50 189.70 197.10 204.50 212.10 219.90 227.70 235.70	35 & 36 in.	23 ft. 24 " 25 " 26 " 27 " 28 " 29 " 30 "		548.00 508.50 518.40 530.50 542.90 555.60 568.50 581.70




Chicago HARTMANN'SANDERS COMPANY

New York






No. 165 Octagon Column



No. 175
Square Column
Paneled with Ornamental
Pendants



No. 180 Square Column Plain Shaft

To those not yet familiar with the quality of our work and our facilities for manufacturing columns, will say that we have a factory of forty thousand square feet floor space, which gives us the largest and best equipped factory building devoted exclusively to this class of work; and with twenty-two years of experience behind us, we have been able to perfect the organization of the various departments of our factory so that the different parts of the work are done by men particularly trained in correct column construction both from a mechanical as well as architectural standpoint.






Hartmann'Sanders Company

New York






No. 185 Square Column Fluted

Price on Metal Plinths, see page 33.

For columns made for interior in Clear White Pine or Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.


Size of Post in Inches	Length	No. 165	No. 180	Nos. 175-1
5 & 6 in.	6 ft.	\$ 21.00	\$ 13.80	\$ 19.00
o to m.	7 "	22.00	15.00	20.40
	8 "	25.00	17.40	23.00
7 & 8 in.	6 ft.	25.10	16.00	22.80
	7 "	28.40	18.00	25.80
	8 "	31.10 35.10	20.00	28.90 32.00
0.0.40.	6.54	27.10	18.50	24.20
9 & 10 in.	6 ft.	30.80	31.00	28.00
	8 "	24.50	23.30	31.00
	9 "	38.10	25.70	34.70
11 & 12 in.	6 ft.	35.20	23.00	32.00
	7 "	29.60	25.70	36.00
	8 "	44.00	28.30	40.00 44.00
	9 "	48.40 52.80	31.00 33.60	48.00
13 & 14 in.	8 ft.	53.50 58.70	38.40 41.70	48.20 53.30
	10 "	63.70	45.10	58.00
	11 "	68.90	48.40	62.70
15.0.46	12 "	74.10	51.70	67.30
15 & 16 in.	8 ft.	60.70	42.70	55.20
	9 "	66.60	46.70	60.50
	10 "	72.50	50.70 54.70	65.90 71.20
	11 "	78.30 84.20	58.70	76.50
	13 "	90.10	62.70	81.90
	14 "	95.90	66.70	87.20
	15 " 16 "	101.80 107.70	70.70 74.70	92.50 97.90
17 & 18 in.				
	10 ft. 11 "	76.10 82.70	56.70 61.30	69.20 75.20
	12 "	89.30	66.00	81.20
	13 "	96.00	70.70	87.20
	14 "	101.30	75.30	93.20
	15 " 16 "	109.10 115.70	80.00 85.00	99.20 105.20
	17 "	122.30	90.00	111.20
10.0.20.	18 "	128.90	95.00	117.20
19 & 20 in.	16 ft.	124.30	96.00	113.00
	17 "	131.30	101.30	119.30
	18 "	136.70 143.70	106.70 112.00	124.30 130.70
	20 "	150.70	117.30	137.00
21 & 22 in.	18 ft.	155.10	118.00	141.00
	19 "	162.40	124.00	147.70
	20 "	170.10	130.00	154.70
	21 "	177.50 174.80	136.00 142.00	161.30 168.00
23 & 24 in.	22			
	18 ft. 19 "	174.90	139.60 146.30	168.00 176.00
	20 "	193.60 202.40	152.90	184.00
	21 "	211.20	159.60	192.00
	22 "	220.00	166.00	200.00
	23 "	228.80	172.00	208.00
	24 "	237.60	178.70	220.00



Hardwood Columns Both Staved and Veneered


We are prepared to furnish columns for interior purposes in all hardwoods, either staved up or veneered. The veneered columns are made with our Lock Joint construction and veneered according to the most approved methods. Owing to the great variation in the prices of lumber entering into the manufacture of interior columns, we are not in position to publish an intelligent price on the same, but would be pleased to submit estimates upon application.





Lattice Work

We have a department for the manufacture of lattice work of all kinds for interior and exterior purposes and solicit inquiries on work of this character.










Flashing of Caps of Exterior Columns

The flashing of both wood and composition caps is so frequently omitted in the installation of columns, we deem it advisable to call attention to the importance of this feature. If the entire top of caps is not covered with the flashing of either galvanized iron, sheet lead or copper, the water, snow and ice that strikes the cornice or facia, is bound to run into and down the cap, effecting its ultimate disintegration. Furthermore, if the moisture has access from the top to the inside of the column, it will cause swelling of the material, thereby injuring the attractive appearance of the column.

Architects should see that this very important feature is not overlooked in their specifications, for all exterior columns. We are prepared to furnish these flashings for a slight additional charge over the price of the columns.



We have found from careful and extended study of ventilated cast iron plinths that they have filled a long-felt necessity. They not only eliminate the annoyance very often caused by the checking, dishing and ultimate decaying of mitred wood plinths, but also provide for the circulation of air to the inside of column shaft, which is a very essential feature. We are prepared to furnish ventilated cast iron plinths at a nominal cost in order to encourage their use. They are finished smooth and given one coat of mineral paint at the factory, and when painted on the job, they harmonize with the finish of the column.

Ventilated Cast Iron Plinths

Price of Square Cast Iron Ventilated
Plinths

For Bottom Diameter of Shaft	Size Square I		Height	Price
	0 :		12/ .	. 1.50
6 in. 7 "		square "	13/8 in.	\$ 1.50
8 "	103/4 "	"	1/4	1.60
9 "		"	1/8	2.00
	1278	- "		2.60
10	1372	"	23/8 " 25/8 "	3.20
11	14/8	"	23/8 "	4.00
12	10/4	"	23/4 "	4.84
13	11/2	"	3 "	5.80
14	10/4		33/8 "	6.60
15 "	201/4 "	"	35/8 "	7.80
16 "	211/2 "	"	37/8 "	9.20
17 "	23 "	"	4 "	11.70
18 "	241/4 "	"	41/4 "	14.40
19 "	255/8 "	"	41/2 "	17.50
20 "	27 "	"	43/4 "	19.80
21 "	283/8 "	"	5 "	22.00
22 "	293/4 "	"	51/4 "	24.20
23 "	311/8 "	"	5 1/4 " 5 1/2 " 5 3/4 "	26.40
24 "	321/2 "	"	53/4 "	28.60
25 "	333/4 "	"	6 "	30.80
26 "	33 ³ / ₄ " 35 ¹ / ₈ "	"	61/4 "	33.00
27 "	361/2 "	"	61/2 "	35.20
28 "	38 "	"	63/4 "	37.40
29 "	391/4 "	"	7 "	39.60
30 "	401/2 "	"	71/4 "	41.80
31 "	42 "	"	71/2 "	45.50
32 "	433/8 "	"	7 1/2 " 7 3/4 "	49.90
33 "	443/4 "	"	8 "	57.20
34 "	46 "	"	81/4 "	64.50
35 "	471/2 "	"	81/2 "	71.90
36 "	483/4 "	"	83/4 "	79.20

The sizes given for square iron plinths are also the size of square wood plinths.



HARTMANN'SANDERS COMPANY Chicago

New York



Composition Caps

We manufacture our own Capitals of Composition for columns and pilasters.


All ornamental caps shown on the various column designs in this catalog are made of composition.

All our stock models are made of the proportions called for by the various orders of architecture. They are made of a fibrous material. Caps for exterior use are treated to withstand the deteriorating influence of the weather; those for interior use can be stained to match any finish of woodwork.

We are prepared to make special models according to architect's details.

The tops of exterior caps should always be flashed with galvanized iron, sheet lead, or copper; this is important and should not be overlooked. See page 33.

Instructions for Ordering Composition Caps



Diameter of column should be taken where shown on Fig. No. 1 for Corinthian, Erechtheum, Composite, Angular Greek with Necking, Scamozzi with Necking, Renaissance, and Temple of Winds capitals, and for all other capitals, either according to Figs. 2 or 3, whichever way the neck of shaft is turned.


Wood Dowels

Dotted lines indicate wood dowel, or core, which is to be used to carry the weight imposed on the column. This should be made about ½ inch longer than height of caps, so that the weight of the soffit will rest on a wood dowel and not on the cap. For capitals with 5 and 11-inch neck diameters make diameter 2 inches smaller in diameter; 12/16 inch, 21/2 inches smaller; for 17/24 inch, 31/2 inches smaller; and 25/30 inch, 4 inches smaller.

Pilaster Caps

Unless otherwise specified, pilaster caps will be furnished with same shaft measurements as column capitals and returning one-half. Note line drawing of section of columns and pilasters, shown on page 5 before ordering.







Roman Ionic
As used on Columns Design 230, 235



Modern Ionic Empire



Scamozzi As used on Columns Design 240, 245




Erechtheum No Necking




Greek Ionic As used on Columns Design 260, 265








Angular Greek Ionic
As used on Columns Design 270, 275



HARTMANN'SANDERS COMPANY

New York





Chicago

Corinthian
As used on Columns Design 250, 255



Composite

As used on Columns Design 320, 325



Erechtheum As used on Columns Design 290, 295




Erechtheum Antae



Angular Greek Ionic (with Necking)
As used on Columns Design 280, 285



Renaissance
As used on Columns Design 300, 305





Temple of Winds

As used on Columns Design 330, 335



Scamozzi (with Pendant)

As used on Columns Design 310, 315



Scamozzi with Necking

As used on Columns Design 340, 345




For Columns Bottom Diameter	Top Diameter	Price
6 in.	5 in.	\$ 4.80
7 "	6 "	5.30
8 "	61/2 "	6.00
9 "	71/2 "	6.80
10 "	81/2 "	7.80
11 "	91/2 "	8.80
12 "	10 "	10.00
13 "	11 "	11.30
14 "	12 "	12.90
15 "	121/2 "	14.80
16 "	131/2 "	16.90
17 "	141/2 "	19.30
18 "	15 "	22.00
19 "	16 "	24.90
20 "	17 "	28.00
21 "	18 "	31.50
22 "	181/2 "	35.20
23 "	19 "	38.90
24 "	20 "	42.90
25 "	21 "	46.20
26 "	22 "	51.70
27 "	23 "	53.20
28 "	231/2 "	62.10
29 "	24 "	67.20
30 "	25 "	72.00
31 "	26 "	77.60
32 "	27 "	83.50
33 "	28 "	89.60
34 "	29 "	96.00
35 "	291/2 "	102.70
36 "	30 "	109.30


All prices are F. O. B. Chicago



Doric Cap








Women's Building, University of Illinois 6 Columns—32 inches diameter, 28 feet long W. Carbyn Zimmermann, Architect



Evanston Women's Club, Evanston, III. 6 Columns—24 inches diameter, 20 feet long E. A. Mayo, Architect








Weston Town Hall, Dorchester Center, Mass. Bigelow & Wadsworth, Architects 6 Columns—30 inches diameter, 30 feet long



Nutley Library, Nutley, N. J. Armstrong and DeGelke, Architects



HARTMANN'SANDERS COMPANY

New York





First Congregational Church Danbury, Conn. Howell & Stokes, Architects


Old Lyme Church Old Lyme, Conn. Ernest Green, Architect





Hartmann Sanders Company

New York




Second Unitarian Church Brookline, Mass.

Chicago

E. J. Lewis, Jr., Architect

4 Columns—27 inches diameter, 24 feet long






Wheaton Norton Chapel College Norton, Mass.

Cram and Goodhue, Architects

16 Columns—24 inches diameter, 24 feet long



HARTMANN'SANDERS COMPANY





Residence at Lake Geneva, Wis. 16 Columns—30 inches diameter Shepley, Rutan and Coolidge, Architects



Adriance Residence at Nyack, N. Y.

8 Columns—24 inches diameter, 20 feet long. No. 245
24 Columns—15 inches diameter, 10 feet long. No. 240
Henry T. Child, Architect



Hartmann'Sanders Company





E. J. Lehmann Residence at Lake Villa, Ill. 12 Columns—26 inches diameter, 20 feet long



Residence for W. W. Fuller, Briar Cliff, N. Y. 8 Columns—31 inches diameter, 21 feet long Arthur T. Remick, Architect



Porch Addition to Home of Paul Brauer, Chicago, Ill. Columns are 12 inches diameter, 10 feet long



Porch Addition to Home of J. F. Rowley, Wilmette, III. Howard Bowen, Architect Columns are 20 inches diameter, 18 feet long




Porch Addition to Home of F. B. Park, Kendallville, Ind.

Frederick Wallick, Architect




Hartmann'Sanders Company





Porch Addition to Home of Mr. Murphy, Evanston, III.

Childs and Smith, Architects




Residence at New Orleans, La. Mr. Goldstine, Architect



Residence for W. W. Fuller, Briar Cliff, N. Y. 8 Columns—31 inches diameter, 21 feet long Arthur T. Remick, Architect



New York





Monmouth Hotel Spring Lake, N. J.

Watson & Huckle Architects

6 Columns—36 inches diameter, 26 feet long, No. 245

54 Columns—14 inches diameter, 12 feet long, No. 220


Weston Town Hall Dorchester Center, Mass.

Bigelow & Wadsworth, Architects



Hartmann Sanders Company

New York






Chicago



COLONIAL ENTRANCES

Our experience in furnishing exterior Millwork of Colonial Architecture enables us to faithfully carry out the architect's ideas and details in work of this character








HARTMANN'SANDERS COMPANY

New York



Freight Rate and Approximate Shipping Weight on Columns

Bottom Diameter in Inches	Length in Feet	Wt., Lbs.	Bottom Diameter in Inches	Length in Feet	Wt., Lbs.	Bottom Diameter in Inches	Length in Feet	Wt., Lbs.	Bottom Diameter in Inches	Length in Feet	Wt., Lbs.
5 & 6	6	40	17 & 18	10	275	23 & 24	14	645	29 & 30	20	1260
"	7	50	"	11	300	"	15	685	"	21	1320
"	8	60	"	12	325	"	16	730	"	22	1385
7 & 8	6	70	ш	13	350	"	17	765	ű.	23	1445
at .	7	85	"	14	375	"	18	800	ш	24	1500
44	8	95	"	15	400	"	19	830	"	25	1560
44	9	100		16	425	"	20	865	"	26	1625
9 & 10	6	80	"	17	450	"	21	900	"	27	1680
11	7	90	"	18	475	"	22	935	"	28	1740
"	8	100	"	19	500	"	23	970	31 & 32	20	1360
44	9	115	"	20	525	"	24	1000	31 CC 32	21	1420
"	10	130	19 & 20	12	390	"	25	1035	"	22	1480
12 & 12	6	100	"	13	420	ш	26	1080	"	23	1540
44	7	120	"	14	450	25 & 26	18	840	"	24	1600
"	8	130	ш	15	470	"	19	800	"	25	1600
ii .	9	140	"	16	490	"	20	920	u	26	1720
4 44 .	10	155	ii.	17	520	u u	21	960	u	27	1780
13 & 14	6	115	"	18	545	"	22	1000	"	28	1840
41	7	130	"	19	560		23	1040	33 & 34	22	1580
"	8	145	"	20	595	u	24	1095	33 0 34	23	1640
41	9	160	21 & 22	14	630	ш	25	1130	"	24	1700
iii.	10	190	"	15	635	u u	26	1170	"	25	1760
15 & 16	8	215	"	16	670	27 & 28	18	1080	ш	26	1820
ii.	9	230	ii.	17	710	4	19	1130	"	27	1880
	10	245	"	18	730	"	20	1180	и	28	1940
er.	11	270	44	19	765	"	21	1260	35 & 36	22	1710
11	12	295	u u	20	795	ш	22	1300	33 0 30	23	1770
ii.	13	310	ii.	21	825	ш	23	1360	"	24	1830
44	14	325	- u	22	855	ш	24	1410	"		1890
ii.	15	340	ш	23	890	"	25	1410	"	25	
- 4	16	355	"	24	930	ш	26	1520	u	26 27	1950

NOTE.—Owing to the great difference in freight rates to different points in the country, it is difficult to quote an intelligent delivered price on our printed price list, but to enable the customer to arrive at the cost of a column delivered to his station, we give herewith the approximate shipping weights, with the freight rate to nearest freight station.

The freight rate to your station is

Caution should be taken before giving Railroad Company a receipt upon receiving goods to see that shipment is intact and items correspond with the bill of lading; also that shipment is in first-class condition. If not, protect yourselves by having agent make proper notation on the expense bill as to the damage or shortage so that you will have your claim properly substantiated.

Our responsibility ceases after shipment is delivered to the Railroad at Chicago, at which time we receive a clear receipt showing shipment received in first-class condition; therefore we cannot make any allowances for shortage or damage occurring while in transit. All prices F. O. B. Chicago.



